# DOUBLE GLIDER CHAIR ASSEMBLY INSTRUCTION SHEET

A. Acorn Nut x 4pcs



B. Short Screw x 10pcs









(1) main frame(2) straight main frame crossmember

D. Long Screw x 19pcs

E. Long Washer x 16pcs





(3) Side Support

F. Lock Nuts x 29pcs

G. Small Washer x 58pcs



Ţ End Caps x 4pcs

1 set of instruction & tools






IMPORTANT!! DO NOT TIGHTEN SCREWS OR NUTS

UNTIL THE ENTIRE ASSEMBLY COMPLETED.

Made In China








(7) Chair Back

(4) Swing Arms




# STEP 1 Make a main frame




Frame + Small Screw + Nut main frame: Assembling the hardware to the

### STEP N Make a chair frame



(8)

Assembly the (9) to (5) & (6)by Hardware:Long Screw+Small Washer + Nut



Put the Seat inside the Chair Frame (smaller frame)



Connet two Seats Hardware:
-Small Screw + Big Washer +
2 seats + Big Washer + Nut

Place the hardware into the chair back and seat:
Small Screw + Big Washer + (7) + (8) + Big Washer + Nut

hardware: Assembling the

Assembling the hardware:
Long Screw + Small Washer
+ Frame + Spacer + Seat +
Side Support + Small Washer

Small Washer -Frame + Side Support + Small Washer + Nut



hardware:
Small Screw +
Big Washer
+ Big Washer
+ Nut Assembling the

Long Screw +
Small Washer
+ Small Washer
+ Nut Assembling the hardware:



# STEP 4 Assemble Seat and Chair Frame with Hardware



Long Screw+
Small Washer+
Chair Frame+
Spacer+Seat+
Small Washer
+ Nut Assembling the Hardware:


Note: Spacer's dimples side face in frame part



Place the Side Support between two frames, Assembling the Hardware: Long Screw + Small Washer + Frame + Big Washer + Support + Big Washer + Nut + Acorn Nut

Note: Please ensure the side support enable to place with chair frame and main frame before assembly.

STEP 5 Assemble Chair Frame and Main Frame with Hardware



Put the Chair Frame and Seat inside the Main Frame

## FINISHED!!

